

# Let's Fix Our Food

# G Z

#### **PROMOTING HEALTHY FOOD ENVIRONMENT FOR INDIAN ADOLESCENTS AND YOUTH**

#### **COLLABORATORS**







\_//











## TABLE OF CONTENTS

	Introduction
	Let's Fix Our Food
	Knowledge Products
	The Let's Fix Our Food Survey Highlights
	Key Recommendations
ado	ulating food advertisements will protect children an lescents from exposure to Foods High in Fat, Salt Sugar Policy Brief.
	Pathways: HFSS Marketing to Lure Youth
	Efforts to Regulate HFSS Food Marketing
	Global Best Practices: Restricting Food Advertisements
	Policies and Guidelines relevant to Advertisements in Indi
	Policy Analysis
	······ Key Asks
	References
	ial Behaviour Change Communication: A Strategy for ressing Under and Over-nutrition among Indian
Chil	dren and Adolescents. A Policy Brief.
Chil	dren and Adolescents. A Policy Brief.
Chil	
Chil	Context
	Context Key Recommendations
	<ul> <li>Context</li> <li>Key Recommendations</li> <li>References</li> </ul>
	<ul> <li>Context</li> <li>Key Recommendations</li> <li>References</li> <li>Ith Taxes in India: Why, What, and How?</li> </ul>
Hea	<ul> <li>Context</li> <li>Key Recommendations</li> <li>References</li> <li>Ith Taxes in India: Why, What, and How?</li> <li>Why Health Tax</li> </ul>
Hea	<ul> <li>Context</li> <li>Key Recommendations</li> <li>References</li> <li>Ith Taxes in India: Why, What, and How?</li> <li>Why Health Tax</li> <li>Key Recommendations</li> <li>riguide for Educators</li> </ul>
Hea	<ul> <li>Context</li> <li>Key Recommendations</li> <li>References</li> <li>Ith Taxes in India: Why, What, and How?</li> <li>Why Health Tax</li> <li>Key Recommendations</li> </ul>







#### Introduction

A healthy food selection allows adolescents to live well, explore, extend life, form relationships, learn, build economic opportunities and contribute to society. However, easy access of unhealthy food option, inadequate access to nutrition knowledge, the lack of availability and affordability of healthy foods such as fruits and nuts can lead to cognitive decline and a higher likelihood of diseases.

## Let's Fix Our Food

'Let's Fix Our Food' is an initiative jointly led by ICMR-National Institute of Nutrition, Public Health Foundation of India (PHFI) and UNICEF in collaboration with consortium partners, including the Institute of Economic Growth (IEG), the World Health Organisation, Deakin University and the World Obesity Federation, to enable adolescents to participate in and create a conducive food environment for children and adolescents in the country. This conversation is critical because 24% of adolescents are underweight in India<sup>1</sup>. Over 17 million children and adolescents in India are affected by obesity<sup>2</sup>. This number can cross 27 million by 2030 unless we take proactive action today<sup>3</sup>. This dual burden of malnutrition can be addressed through common strategies.

This initiative leads to youth participation and ownership of issues as the campaigns are designed and delivered by them. It aims to create health-promoting norms among adolescents, in families, homes and communities and will also support policies that help combat malnutrition comprehensively in India by addressing:









(HFSS) Foods.



Front Of Pack Fat, Sugar and Salt Labelling (FOPL)




& advertising of

**HFSS Foods** 



Adolescent led Nutritionliteracy

The initiative aimed at raising awareness about healthy and unhealthy food environments to empower adolescents from across all Indian states to be meaningfully involved in addressing the existing issues. The Let's Fix Our Food survey (U-report poll) was rolled out to understand the young people's perceptions of what influences their food choices and what in the food environment needs to change. The survey went live in 12 languages for adolescents between the ages of 10 and 19.













#### Let's Fix Our Food

## **Knowledge Products**

The Let's Fix Our Food initiative created a two-way dialogue platform, where members of the adolescent network from across 36 States and Union Territories shared opportunities and challenges in their food environment that influence their food choices. The input contributed to the development of knowledge products. So, here's what the adolescent network had to say about healthy food environment, wellness and lifestyle.







## The Let's Fix Our Food Survey Highlights

The survey draws on nationwide data across 36 Indian States capturing factors influencing the food environment of 1,43,906 adolescents who participated in the Let's Fix Our Food survey (U-report poll) in 2022.





of adolescents reported that 30 minutes per day should be spent on physical activities, while 15.06% of adolescents responded to 60 minutes per day for physical activities.







#### Let's Fix Our Food

#### **Key Recommendations**

The data collected from the survey has helped in identifying the critical focus areas that must be addressed to penable healthy choices for children and adolescents.

#### Government

- Ensure stricter regulation of advertisements and marketing of HFSS foods targeted atchildren and adolescents.
- Regulate the consumption of HFSS foods and develop guidelines to provide nutritioninformation on front of-pack of packaged foods.
- Implement health tax on HFSS foods
- Monitor the ban of HFSS foods in the canteens and the vicinity of the educationalinstitutions (schools, colleges) as provided in guidelines by the Food Safety and Standards Authority of India (FSSAI).
- Ensure adolescents' meaningful engagement (co-creation) in decision-making during the process of making health policies targeting them.
- Develop "My plate for the Day" specific for adolescents to promote the consumption of a balanced diet.
- A comprehensive Social Behaviour Change Communication strategy addressing keydrivers of obesity at all levels i.e. individual, interpersonal, community, organization, andpolicy needs to be developed at the national level to prevent overweight and obesityalongside addressing underweight (double-duty actions) among Indians.
- Implement a program aimed at making healthy foods more affordable and accessible to all segments of the population.
- Implement easy to comprehend front-of-pack warning labels on packaged foods high in sugar, salt, and unhealthy fats.

#### **Development Partners**

- Amplify the voices of adolescents by providing platforms to share their lived experiences and ensure meaningful engagement at all levels to foster a healthy food environment.
- Generate evidence for planning, implementation, and monitoring of programmes and policies on fostering healthy food environment.
- Leverage a healthy environment for advancing adolescent health and well-being through innovative ways, including capacity building and adolescent-led campaigns.
- Observe conflict of interest and reject partnerships with corporations promoting HFSS foods among adolescents.

#### **Educational Institutes**

- Promote the consumption of a safe and balanced diet as per the "My Plate for the Day" recommended by the National Institute of Nutrition (NIN).
- Ensure adequate nutrition education through school curriculum to improve nutrition knowledge, dietary practices, and eating behaviour among adolescents.
- Enable easy and affordable access to healthy food options for students in the canteens and the vicinity of the
  educational institutions.
- · Regular communication and reinforcement on the importance of eating healthy and staying physically active and to

#### Let's work together to strengthen our food environment.

#### References

- Parida J, Bagepally BS, Patra PK, Pati S, Kaur H, Acharya SK. Prevalence and associated factors of undernutrition among adolescents in India: a systematic review. BMC Public Health. 2025 Feb 28;25(1):819. doi: 10.1186/s12889-025-22054-2. PMID: 40022033; PMCID: PMC11871687.
- 2. Sashindran VK, Dudeja P. Obesity in School Children in. Public Health in Developing Countries: Challenges and Opportunities. 2020 Sep 9:217.
- 3. Lobstein T, Brinsden H, Neveux M. World obesity atlas 2022.

Regulating food advertisements will protect children and adolescents from exposure to Foods High in Fat, Salt and Sugar (HFSS)

## **A Policy Brief**


Food marketers target adolescents and youth as consumers because of their spending power, their purchasing influence, and as a future adult consumer.<sup>1</sup>

ED.

Marketing of food items high in added saturated and/or trans-fat, sugar, or sodium (HFSS) negatively affects consumption patterns, and increases the risk of overweight, obesity and Non-communicable diseases (NCDs).<sup>2,3</sup>

- A Range of food marketing techniques (brand images, celebrity endorsements, product placements, viral marketing) significantly increased perceived impact on food choices in India.<sup>4</sup>
- Evidence from a global review revealed that children exposed to food advertising on television and advergames, consumed an average 60 kcal and 53.2 kcal respectively more than children exposed to nonfood advertising.<sup>5</sup>
- Children who watched cartoon food advertising, ate 45% more (Mean = 28.5 grams) than children who saw non-food advertising, in United States (Mean = 19.7 grams).<sup>6</sup>

## **Pathways: HFSS Marketing to Lure Youth**







## **Efforts to Regulate HFSS Food Marketing**

#### Self-Regulatory

A group of food industries commit themselves to restrict the marketing of unhealthy food products by setting their own strategies, independent of the government.

#### **Mandatory Approach**

Legislation is passed by the government to establish the general legal, framework of principles to which the relevant stakeholders are required to adhere to. A robust legal framework would also include enforcement mechanisms such as fines to ensure compliance.





Government-led mandatory measures with effective compliance mechanisms are shown to be more effective than voluntary actions such as industry self-regulation<sup>2</sup>

## **Global Best Practices: Restricting Food Advertisements**

#### Chile

- In 2016, banned the use of figures and characters popular among children, children's music, toys, or situations that represent children's daily life for food advertising
- HFSS food advertising restriction on television between 6:00 to 22:00 hrs
- The child-directed strategies decreased significantly after the implementation of law (2015: 36% and 2017:21%)<sup>10</sup>

#### South Korea

- Mandatorily prohibited HFSS food advertisements aired between 5:00 to 19:00 hrs and during children's TV programmes
- The number of unhealthy food advertisement placements declined significantly by 81% from 2009 to 2010<sup>11</sup>

#### **United Kingdom**

- Restricted food advertisement to children (4 to 15 years) on television before 21:00 hrs
- Children were exposed to 37% fewer HFSS advertisement promoting products in 2007 compared to 2005<sup>12</sup>





## " L'in

## **Policies and Guidelines relevant to Advertisements in India**

S. No	Policies and Guidelines	Issuing Authority	Regulatory Approach
1	Guidelines for Prevention of Misleading Advertisements and Endorsements for Misleading Advertisements, 2022, read with the Consumer Protection Act, 2019	Central Consumer Protection Authority	Mandatory
2	IT (Intermediary Guidelines and Digital Media Ethics Code) Rules 2021, issued under the Information Technology Act 2000	Ministry of Electronics and Information Technology	Mandatory
3	Universal Self-Regulation Code for Online Curated Content Providers, 2020	Internet and Mobile Association of India	Self-Regulator
4	Cable Television Network Rules, 1994 Cable Television Network (Amendment) Rules, 2021 Read with the Cable Television Networks (Amendment) Act, 1995	Ministry of Information and Broadcasting	Mandatory
5	Guidelines for Influencers Advertising in Digital Media, 2021	The Advertising Standards Council of India	Self-Regulatory
6.	Food Safety and Standards (Advertising and Claims) Regulation, 2018	Food Safety and Standards Authority of India	Mandatory
7	Infant Milk Substitutes, Feeding Bottles and Infant Foods (Regulation of Production, Supply and Distribution) Act, 1992	Ministry of Women and Child Development	Mandatory
8	Telecom Commercial Communications Customer Preference Regulations, 2018	Telecom Regulatory Authority of India	Mandatory
9	ASCI Code on Self-regulation guidelines of advertising of foods and beverages, 2013	The Advertising Standards Council of India	Mandatory for cable service
10	Indian Broadcasting Foundation Content Code & Certification Rules, 2011	Indian Broadcasting Foundation	Self-Regulatory
11	Code of Ethics and Broadcasting Standards, 2008	News Broadcasters and Digital Association	Self-Regulatory
12	Norms of Journalistic Conduct, 2010 under Press Council Act, 1978	Press Council of India	Mandatory
13	Advertising Code of the Prasar Bharati (2022) under the Prasar Bharati (Broadcasting Corporation of India) Act, 1990	Ministry of Information and Broadcasting	Mandatory









## Key Asks

The recently introduced Guidelines for Prevention of Misleading Advertisements and Endorsements for Misleading Advertisements, (2022) offer the most promising opportunity to strengthen food advertising regulation in India, across all media and settings.

To attain stronger protection of children and adolescents from the detrimental impact of food advertising, it is recommended to further strengthen the existing Guidelines for the Prevention of Misleading Advertisements and Endorsement of Misleading Advertisements, 2022 by:

- Introducing a more stringent implementation and robust enforcement mechanisms to ensure their effectiveness.
- Broadening the regulatory scope by shifting the scope of policies from 'child-directed' advertisements to all advertisements to protect not only vulnerable children and adolescents but the population at large.
- Adopting a clear definition of junk food, which could be based on the WHO Nutrient Profile Model for Southeast Asia Region or the NOVA food classification system (as recommended by FAO, according to the level of processing).
- Strengthening decision-making skills to make informed, health-conscious food choices.

E Cultur











- 1. Story, M., French, S. Food Advertising and Marketing Directed at Children and Adolescents in the US. Int J Behav Nutr Phys Act 1, 3 (2004). https://doi.org/10.1186/1479-5868-1-3
- 2. Smith R, Kelly B, Yeatman H, Boyland E. Food marketing influences children's attitudes, preferences and consumption: A systematic critical review. Nutrients. 2019;11(4).
- 3. Boyland E, McGale L, Maden M, Hounsome J, Boland A, Angus K, et al. Association of Food and Nonalcoholic Beverage Marketing with Children and Adolescents' Eating Behaviors and Health: A Systematic Review and Meta-analysis. JAMA Pediatr. 2022;176(7).
- 4. Sivathanu, Brijesh. Food Marketing and its Impact on Adolescents' Food Choices. Indian Journal of Marketing. 2017; 47. 46-60. 10.17010/ijom/2017/v47/i8/117432.
- 5. Russell, S. J., Croker, H., & Viner, R. M. The effect of screen advertising on children's dietary intake: A systematic review and meta-analysis. Obesity reviews : an official journal of the International Association for Study of Obesity.2019:20(4),554-568. https://doi.org/10.1111/obr.12812
- 6. Harris JL, Bargh JA, Brownell KD. Priming effects of television food advertising on eating behavior. Health Psychol. 2009 Jul;28(4):404-13. doi: 10.1037/a0014399. PMID: 19594263; PMCID: PMC2743554.
- 7. Bassi S, Bahl D, Maity H, Dudeja S, Sethi V, Arora M. Content analysis of food advertisements on popular Indian television channels among children and youth: a cross-sectional study. Journal of Global Health Reports. 2021;5: e2021089. doi:10.29392/001c.28355.
- 8. Bassi, S., Bahl, D., Arora, M. et al. Food environment in and around schools and colleges of Delhi and National Capital Region (NCR) in India. BMC Public Health 21, 1767 (2021).
- 9. UNICEF. Effective regulatory approaches to protect, support and promote better diets and create healthy food environments for children.2021. Available at https://www.unicef.org/media/116671/file/UNICEF%20Technical%20Note.pdf
- 10. Mediano Stoltze F, Reyes M, Smith TL, Correa T, Corvalán C, Carpentier FRD. Prevalence of Child-Directed Marketing on Breakfast Cereal Packages before and after Chile's Food Marketing Law: A Pre- and Post-Quantitative Content Analysis. International Journal of Environmental Research and Public Health. 2019; 16(22):4501. https://doi.org/10.3390/ijerph16224501
- Kim S, Lee Y, Yoon J, Chung SJ, Lee SK, Kim H. Restriction of television food advertising in South Korea: impact on advertising of food companies. Health Promot Int. 2013; 28(1):17-25. doi: 10.1093/heapro/das023. Epub 2012 Jun 19. PMID: 22717614.
- 12. World Health Organisation. Protecting children from the harmful effects of food and drink marketing.2014. Available at https://www.who.int/news-room/feature-stories/detail/protecting-children-from-the-harmful-effects-of-food-and-drink-marketing























## **Social Behaviour Change Communication**: A Strategy for

## Addressing Under and Over-nutrition among Indian Children and Adolescents

## A POLICY BRIEF



### Context


Successive rounds of the National Family Health Surveys have revealed the co-existence of undernutrition and overnutrition.

#### $Comparison \, of \, NFHS-3^1 and \, NFHS-5^2 \, highlights:$


- Prevalence of undernutrition (stunting) among children under 5 years declined from 48% in NFHS-3 to 35.5% in NFHS-5.
- Prevalence of thinness among adults (aged 15-49 years), decreased by 16.8 percentage points among women and 18 percentage points among men.
- Overweight/obesity is on the rise in all age groups, including children under 5 years by 1.9 percentage points, women by 11.4 percentage points, and men by 13.6 percentage points.



## Prevalence of Underweight and Overweight in Children (0-5 years)



#### Prevalence of Overweight/Obesity among 15-49 years old













- Behaviour change techniques are effective for obesity prevention, which is more cost effective than management and treatment.<sup>3,4</sup>
- Social Behaviour Change Communication is a well-suited approach to address complex nutrition practices and behaviours.<sup>5,6</sup>
- It addresses social and contextual dimension of behaviour at multi-stage level.<sup>6</sup>

	e Curre	Solution to Overweight and Obesity: Social and Behaviour Change Communication	
	Key drivers of overweight and obesity	Examples of communication initiative at each level	Example of communication approach at each level
POLICY/ENABLING ENVIRONMENT	Guidelines for Misleading Advertisements 2022 <sup>7</sup> , FSSAI Regulations 2020 <sup>8</sup> , Fit India Initiative 2019 <sup>9</sup> , FSSAI Regulation 2018 <sup>10</sup> , National Nutrition Strategy 2017 <sup>11</sup> , Goods & Services Tax <sup>12</sup>	Policies & laws to regulate environments to support people to choose and adopt healthier diets and physical activity	Campaigns to encourage additional health taxes on SSBs and HFSS food.
ORGANISATIONAL	Obesogenic food environment <sup>13,14</sup> , obesogenic cultural environment, inadequate physical activity facilities. <sup>15</sup>	Policies & information structures in local shops, schools, cafes, restaurants etc. to support healthier diets and physical activity	Community, adolescent and parents' networks to reduce access to HFSS.
COMMUNITY	Obesogenic food environment <sup>13,14</sup> , obesogenic cultural environment, inadequate physical activity facilities. <sup>15</sup>	Norms on child weight, diet and physical activity in school networks and communities	Community-wide multimedia campaign to promote healthy weight and physical activity and reinforce these at regular intervals.
INTERPERSONAL	Maternal and paternal nutritional status <sup>16</sup> (Underweight & Overweight), inadequate breast feeding practices, education status, household income <sup>15</sup> , social-economic status <sup>15</sup> , obesogenic home environment <sup>17</sup>	Behaviors and attitudes of family and friends towards weight, diet and physical activity	Discussion groups with parents about healthy eating and focus on low-cost, locally available healthy food options.
INDIVIDUAL	Age, gender, <sup>18,19</sup> inadequate physical activity <sup>15</sup> , unhealthy food habits <sup>5</sup> , under nutrition in early life <sup>5</sup> , nutrition literacy. <sup>20</sup>	Child's knowledge, behaviours, attitudes and beliefs towards weight, diet and physical activity	<ul> <li>Lessons and educational resources for children and adolescents on healthy eating</li> <li>Nutrition literacy for children and adolescents for reading and understanding food labels.</li> <li>Empowering adolescents with</li> </ul>
			skills to resist marketing tactics

Adapted from: SBCC for prevention of childhood overweight and obesity: a toolkit for country team - UNICEF






## **KEY RECOMMENDATIONS**

#### **Policy Level**







• Double duty action needs to be integrated in health programmes and policies, to tackle multiple forms of malnutrition through diet, services and caregiver practices and double duty messages and campaigns can be included in POSHAN 2.0.

#### **Organisational Level**



- Increasing availability, accessibility and affordability of healthy food options in and around educational institutes, workplaces etc.
- Infrastructure and physical environment policies at educational institutes and workplaces to be promotive of physical activity.

#### **Community Level**



Social marketing can be integrated into multi-level ecological approaches, utilizing multiple "P" (Price, Place, Product and Promotion) intervention strategies to support environmental changes that promote healthy behaviours in children. This can be achieved by delivering health messages that encourage individual behaviour change and foster changes in the community norms.



 Use of mHealth technology (AI based empowerment tools) should be promoted to raise awareness and support the Government of India's 'Digital India campaign', by enabling effective interpersonal communication and nutritional counselling with community members in both rural and urban areas.

#### **Inter-Personal Level**



• Healthcare workers need to sensitize family members about overweight and obesity, caring and feeding practices using flyers, infographics, health cards, cooking demonstration sessions, digital resources and discussion groups.

#### Individual Level



• Promoting a healthy diet and physical activity through health literacy initiatives. Messaging should be context-specific, non-technical, and translate into local dialects.



#### References

- International Institute for Population, Sciences (IIPS) and Macro International. National Family Health Survey (NFHS-3) 2005-06;2007. Accessed June 11, 2022. https://dhsprogram.com/pubs/pdf/frind3/frind3vol1andvol2.pdf
- 2. Government of India. National Family Health Survey (NFHS 5), 2019–21.; 2022. Accessed June 11, 2022. http://rchiips.org/nfhs/NFHS-5Reports/NFHS-5\_INDIA\_REPORT.pdf
- Funderburk L, Cardaci T, Fink A, Taylor K, Rohde J, Harris D. Healthy Behaviors through Behavioral Design–Obesity Prevention. Int J Environ Res Public Health. 2020;17(14):1-19. doi:10.3390/IJERPH17145049
- 4. Martin J, Chater A, Lorencatto F. Effective behaviour change techniques in the prevention and management of childhood obesity. Int J Obes (Lond). 2013;37(10):1287-1294. doi:10.1038/IJO.2013.107
- 5. Goozee Z, Jewell J, Williams A, et al. SBCC for prevention of childhood overweight and obesity: a toolkit for country teams | i SOCIALAND BEHAVIOURAL CHANGE COMMUNICATIONS FOR PREVENTION OF CHILDHOOD OVERWEIGHT AND OBESITY A TOOLKIT FOR COUNTRY TEAMS ii | SBCC for prevention of childhood overweight and obesity: a toolkit for country teams.
- Guidance Manual for WFP Nutrition Social and Behaviour Change Communication (SBCC) Guidance Manual for WFP Nutrition 2 |Guidance Manual for WFP Nutrition 3 |Guidance Manual for WFP Nutrition. Published online 2019
- 7. CENTRAL CONSUMER PROTECTION AUTHORITY G. Guidelines for Prevention of Misleading Advertisements and Endorsements for Misleading Advertisements [Internet]. New Delhi: Central Consumer Protection Authority; Jun 9, 2022. Available from: https://consumeraffairs.nic.in/sites/default/files/file-uploads/latestnews/CCPA Notification.pdf
- 8. FASSAI.Gazette\_Notification\_Safe\_Food\_Children\_.; 2020. Accessed May 2, 2022. https://www.fssai.gov.in/upload/notifications/2020/09/5f55ecdfd1cbaGazette\_Notification\_Safe\_Food\_Ch ildren\_07\_09\_2020.pdf
- 9. Fit India Be fit. Accessed August 8, 2022. https://fitindia.gov.in/
- 10. FSSAI. Food Safety and Standards (Packaging) Regulations, 2018 [Internet]. New Delhi; 2018. Available from: https://fssai.gov.in/upload/uploadfiles/files/Compendium\_Packaging\_01\_02\_2022.pdf
- 11. National Nutrition Strategy [Internet]. [cited 2023 Mar 23]. Available from: https://pib.gov.in/newsite/printrelease.aspx?relid=174442
- 12. Goods & Service Tax https://www.gst.gov.in/Accessed:2023-03-28
- Ferrão MM, Gama A, Marques VR, et al. Association between parental perceptions of residential neighbourhood environments and childhood obesity in Porto, Portugal. Eur J Public Health. 2013;23(6):1027-1031. doi:10.1093/EURPUB/CKS187
- 14. Haddad J, Ullah S, Bell L, Leslie E, Magarey A. The Influence of Home and School Environments on Children's Diet and Physical Activity, and Body Mass Index: A Structural Equation Modelling Approach. Matern Child Health J. 2018;22(3):364-375. doi:10.1007/S10995-017-2386-9
- 15. Ohri-Vachaspati P, DeLia D, DeWeese RS, Crespo NC, Todd M, Yedidia MJ. The relative contribution of layers of the Social Ecological Model to childhood obesity. Public Health Nutr. 2015;18(11):2055. doi:10.1017/S1368980014002365
- 16. Chivers P, Parker H, Bulsara M, Beilin L, Hands B. Parental and early childhood influences on adolescent obesity: a longitudinal study. https://doi.org/101080/030044302012678590. 2012;182(8):1071-1087. doi:10.1080/03004430.2012.678590
- 17. Mihrshahi S, Drayton BA, Bauman AE, Hardy LL. Associations between childhood overweight, obesity, abdominal obesity and obesogenic behaviors and practices in Australian homes. BMC Public Health. 2017;18(1). doi:10.1186/S12889-017-4595-Y



- Keane E, Layte R, Harrington J, Kearney PM, Perry IJ. Measured Parental Weight Status and Familial Socio-Economic Status Correlates with Childhood Overweight and Obesity at Age 9. PLoS One.
   2012;7(8):e43503.doi:10.1371/JOURNAL.PONE.004350319 Ogden CL, Carroll MD, Kit BK, Flegal KM. Prevalence of Obesity and Trends in Body Mass Index Among US Children and Adolescents, 1999-2010. JAMA. 2012;307(5):483-490. doi:10.1001/JAMA.2012.40
- Pencil A, Matsungo TM, Hayami N. Determinants of overweight and obesity among adolescents in Zimbabwe: A scoping review. North African J Food Nutr Res. 2022;5(12):112-121. Accessed March 9, 2023. https://www.ajol.info/index.php/najfnr/article/view/237323









# Health Taxes in India Why, What, and How?

# Unhealthy Foods: Major contributor to obesity and related diseases

Sugar sweetened beverages (SSBs) and foods high in fat, salt or sugar (HFSS) are important contributors to the rising burden of obesity, non-communicable diseases, and tooth decay, globally and in India<sup>1,2</sup>

Globally overweight and obesity account for four million deaths annually. Almost three-fourths of these deaths are in low- and middle-income countries.<sup>3</sup>

Between 2000 and 2010, increase in per capita consumption in India (grams per day)<sup>4</sup>:

Sugar: 22 to 55 grams/day; Current estimate (2021) 68 grams/ day

Table salt: 9 to 12 grams/day

Total fat: 21 to 54 grams/day

## **Why Health Tax**

WHO recommends taxation as one of the most cost effective tools:

Over 70 countries are using health tax as an effective tool for reducing consumption of SSBs and unhealthy foods.  $^{\rm 5}$ 

Increase in SSB prices by 20% may lead to reduction in consumption of around 20% (WHO-NMH, 2017)<sup>6</sup>.

20% increase in SSB Prices may reduce overweight and obesity by 3% and type 2 diabetes by 1.6% in India<sup>7</sup>.

Taxes will increase revenues for the government and can be used to subsidize healthy food options (Fruits & Vegetables).

No clear Health Tax policy in India: the existing goods and service tax (GST) in India does not differentiate between healthy and unhealthy foods.


**Elastic Demand** 






How Health Tax Works?

Analysis used price elasticities for sugar (1984/85 to 2011/12) (estimated) and for SSBs and HFSS (literature) to estimate the impact of health tax (HT) on prices and then on demand of these products.



For Households: Keep current GST 18%, no change in demand For Bulk manufacturers of sweets and confectionaries (-0.7 PE):

- GST 18% + 20% HT: Demand may reduce by 12%
- GST 18% + 30% HT: Demand may reduce by 18%
- Government Revenues to increase by 46% to 120% with proposed Health Tax



Current GST 28% +12% cess

Possible options (PE – 0.95)

- 1. GST 28% + 22% HT: SSB Demand may reduce by 7%
- 2. GST 28% + 32% HT: SSB Demand may reduce by 13%

Government Revenues to increase by 17% to 40% with proposed Health Tax

#### **KEY RECOMMENDATIONS**

Alternatives of sugar, like non-nutritive sugar supplements and artificial sweeteners taxed at the same rates

Health taxes must be regularly adjusted for inflation and average household incomes to discourage consumption of HFSS food

> Restrict marketing of unhealthy food and beverages

Additional Health tax of 20–30% to be considered on sweets and confectioneries Health tax of 32% to be considered for SSBs

> Incentives to farmers to increase production of fruits and vegetables

Incentivize manufacturers to reduce the quantity of sugar, salt, and fats in their products

Increase awareness and access to and subsidies for non-sweetened beverages like fruit juices, clean water, fruits and vegetables

Introduce effective food labelling policy

To halt the epidemic of obesity and diabetes, India needs a comprehensive action plan that combines taxation with restriction on marketing of unhealthy foods, improved food labelling, and increased awareness and information about unhealthy foods.

#### References

Dasgupta R. (2015). Sugar, Salt, Fat, and Chronic Disease Epidemic in India: Is There Need for Policy Interventions? Indian Journal of Community Medicine.

Malik V, H. F. (2022). The role of sugar-sweetened beverages in the global epidemics of obesity and chronic diseases. Nature Reviews Endocrinology.

Shekar, M., and Popkin, B. (2020). Obesity: Health and Economic Consequences of an Impending Global Challenge. In Human Development Perspectives. World Bank Group. 10.1596/978-14648-1491-4\_ch3

GOI. (2012). National Sample Survey 66th Round: Nutritional Intake in India. Government of India.


Noncommunicable Diseases, World Health Organization. URL: https://apps.who.int/iris/bitstream/handle/10665/260253/WHO-NMH-PND-16.5Rev.1eng.pdf. Accessed on November 9, 2022

Powell LM et al (2013). Assessing the potential effectiveness of food and beverage taxes and subsidies for improving public health: a systematic review of prices, demand and body weight outcomes. Obes Rev. 2013 Feb;14(2):110-28.doi: 10.1111/obr.12002.Epub 2012 Nov 23

Basu, S. et al (2014). Averting Obesity and Type 2 Diabetes in India through Sugar Sweetened Beverages Taxation: An Economic Epidemiologic Modeling Study. PLOS Medicine, 11(1), 1-13

# - Nutriguide for Educators

## Health Concerns Among School-going Children in India



School children and adolescents in the age group 9-17 years are not consuming a balanced and diverse diet.

> Over 70% children consume packaged food items in schools or buy from or near schools.

While some children bring their lunch to school, over half still consume or buy High Fat, Sugar, Salt (HFSS) packaged foods nearby.

> Source: Centre of Science & Environment, 2018

## WHY SHOULD SCHOOLS INVEST IN CHILDREN'S NUTRITION?





Schools investment in child nutrition can improve cognition, academic performance and attention span.

 Children spend most of their time in schools. The perfect place to instill lifelong healthy eating habits.

Schools can contribute to building a healthier India, by preventing burden of non-communicable diseases.

# WHAT SCHOOLS CAN DO? 5 E's of Action



Evaluate

EDUCATE

EMPOWER

Enable







## Evaluate: Regularly evaluate health status of school children in collaboration with Health Departments

Check BMI and growth charts to asses physical development.





2

Examine students' eating habits to ensure they are receiving the necessary nutrients.



Examine signs of vital nutrient deficiencies.

- Iron deficiency: Pale skin, pale tongue, loss of attention, fatigue, chappy lips
- Zinc deficiency: Slow growth, Hair loss

Score and report the results and

make them aware of their own

Vitamin-A deficiency: Dry eyes, Night blindness







\**Epucate*: Schools should foster lifelong wellness through nutrition education

- Make them aware of their own health status and long-term consequences.
- 2

Tailor the curriculum for ageappropriate learning.

Integrate nutrition lessons into biology, physical education, home science and dedicate weekly nutrition classes. Equip students with essential food safety skills and knowledge on food labeling.







## Schools should enable a healthier school environment



Promote healthy food choices at the cafeteria



Educate staff about food handling and proper portioning.



Encourage students

to bring own

homemade meals.



**Prohibit** sales of HFSS foods near schools.



## Enhancing nutrition through engaging students and parents




Engage students through interactive guizes and games related to nutrition.



Collaborate with experts for informative sessions.

Encourage parents' participation through family cooking competitions and nutrition-themed events.







**Developed by:** 

The Let's Fix Our Food (LFOF) Consortium Jointly led by ICMR-NIN, PHFI and UNICEF

> FOR MORE DETAILS: Ph:+91 11 4017 5500 Email - Contact@phfi.org

@LetsFixOurFood (i) @letsfixourfood **@LetsFixOurFood** 

(in) @LetsFixOurFood

**COLLABORATORS** 











